





## SECTION 1: IDENTIFICATION

- 1.1 Product identifier:** 29382 - SERVCLEAN FOAMING HAND SANITIZER  
**Other means of identification:**  
 29382
- 1.2 Recommended use of the chemical and restrictions on use:**  
 Relevant uses: Hand sanitising gel  
 Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Initial supplier identifier:**  
 Charlotte Products Ltd.  
 2060 Fisher Drive  
 K9J 6X6 Peterborough - Ontario - Canada  
 Phone: 705-740-2880 - Fax: 705-745-1239  
 www.charlotteproducts.com
- 1.4 Emergency phone number:** Infotrac 1-800-535-5053 (North America), 011-1-352-323-3500 (International)

## SECTION 2: HAZARD IDENTIFICATION

- 2.1 Classification of the substance or mixture:**  
**WHMIS 2015:**  
 Classification of this product has been carried out in accordance with Part 2 of Hazardous Products Regulations (SOR/2015-17 amended by SOR/2022-272)  
 Eye Irrit. 2: Eye irritation, Category 2, H319  
 Flam. Liq. 2: Flammable liquids, Category 2, H225
- 2.2 Label elements:**  
 NULL
- WHMIS 2015:**  
 Danger
- 
- Hazard statements:**  
 Eye Irrit. 2: H319 - Causes serious eye irritation.  
 Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
- Precautionary statements:**  
 P101: If medical advice is needed, have product container or label at hand.  
 P102: Keep out of reach of children.  
 P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P264: Wash thoroughly after use.  
 P280: Wear protective gloves/protective clothing/eye protection/protective footwear.  
 P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P501: Dispose of contents and / or their container according to the separated collection system used in your municipality.
- Additional labeling:**
-   
**DANGER**

- CONTINUED ON NEXT PAGE -



**SECTION 2: HAZARD IDENTIFICATION (continued)**

CCCR 2001 >> Sub-Category "Irritant": Eyes.  
CAUTION.  
IRRITANT. MAY IRRITATE EYES. Do not get in eyes. Keep out of reach of children.  
FIRST AID TREATMENT  
If swallowed, call a Poison Control Centre or doctor immediately. Do not induce vomiting. If in eyes, rinse with water for 15 minutes.  
CCCR 2001 >> Sub-Category: Flammable  
FLAMMABLE  
CONTENTS MAY CATCH FIRE. Do not smoke. Use only in a well-ventilated area. Keep away from flames, such as a pilot light, and any object that sparks, such as an electric motor.

**2.3 Health and physical hazards not otherwise classified (HHNOC - PHNOC):**

Not relevant

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Substances:**


Non-applicable

**3.2 Mixtures:**

**Chemical description:** Alcohols

**Components:**

In accordance with Schedule I of the Hazardous Products Regulations (SOR/2015-17), the product contains:

| Identification | Chemical name/Classification                                      | Concentration  |
|----------------|---|--|
| CAS: 64-17-5   | <b>ethanol</b><br>Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger |  60 - <80 % |

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**SECTION 4: FIRST-AID MEASURES**

**4.1 Description of necessary measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

**By skin contact:**

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

**By eye contact:**

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

In case of consumption, seek immediate medical assistance showing the SDS of this product.

**4.2 Most important symptoms/effects, acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of immediate medical attention and special treatment needed, if necessary:**

Not relevant

**SECTION 5: FIRE-FIGHTING MEASURES**

- CONTINUED ON NEXT PAGE -



## SECTION 5: FIRE-FIGHTING MEASURES (continued)

### 5.1 Suitable (and unsuitable) extinguishing media:

#### Suitable extinguishing media:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

#### Unsuitable extinguishing media:

Water jet

### 5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

### 6.3 Methods and materials for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

#### A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

#### B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems and with the minimum requirements for protecting the security and health of workers. Consult section 10 for conditions and materials that should be avoided.

- CONTINUED ON NEXT PAGE -



**SECTION 7: HANDLING AND STORAGE (continued)**

- C.- Technical recommendations on general occupational hygiene  
Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
- D.- Technical recommendations to prevent environmental risks  
It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

**7.2 Conditions for safe storage, including any incompatibilities:**

- A.- Specific storage requirements
  - Minimum Temp.: 5 °C
  - Maximum Temp.: 30 °C
  - Maximum time: 12 Months
- B.- General conditions for storage  
Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

**7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace:  
British Columbia - Occupational Health and Safety Regulation section 5.48 (Updated June 22, 2022):

| Identification          | Occupational exposure limits |          |  |
|-------------------------|------------------------------|----------|--|
| ethanol<br>CAS: 64-17-5 | TLV-TWA                      |          |  |
|                         | TLV-STEL                     | 1000 ppm |  |

ALBERTA - Occupational Health and Safety Code:

| Identification          | Occupational exposure limits |          |                        |
|-------------------------|------------------------------|----------|------------------------|
| ethanol<br>CAS: 64-17-5 | 8-hour                       | 1000 ppm | 1880 mg/m <sup>3</sup> |
|                         | 15-minute                    |          |                        |

**8.2 Appropriate engineering controls:**

- A.- Individual protection measures, such as personal protective equipment  
As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.  
All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.
- B.- Respiratory protection  
The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.
- C.- Specific protection for the hands

| Pictogram                     | PPE   | Remarks  |
|-------------------------------|---|--|
| <br>Mandatory hand protection | Chemical protective gloves (Material: Linear low density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm) | Replace the gloves at any sign of deterioration. |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

- D.- Eye and face protection

- CONTINUED ON NEXT PAGE -



**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Pictogram                     | PPE   | Remarks   |
|-------------------------------|---|---|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E.- Bodily protection

| Pictogram                              | PPE   | Remarks                                     |
|--|---|---|
| <br>Mandatory complete body protection | Antistatic and fireproof protective clothing                  | Limited protection against flames.          |
| <br>Mandatory foot protection          | Safety footwear with antistatic and heat resistant properties | Replace boots at any sign of deterioration. |

F.- Additional emergency measures

| Emergency measure    | Standards                                       | Emergency measure    | Standards                                      |
|----------------------|---|----------------------|--|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

**Volatile organic compounds (VOC) according to Canadian Environmental Protection Act, 1999:**

Volatile organic compounds: 75 % weight  
V.O.C. density at 20 °C: Not relevant

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

Physical state at 20 °C: Liquid  
Appearance: Transparent  
Colour: Colorless  
Odour: Not available  
Odour threshold: Not relevant \*

**Volatility:**

Boiling point or initial boiling point and boiling range: 82 °C  
Vapour pressure at 20 °C: 4845 Pa  
Vapour pressure at 50 °C: 23260.26 Pa (23.26 kPa)  
Evaporation rate at 20 °C: Not relevant \*

**Product description:**

Density at 20 °C: Not relevant \*  
Relative density at 20 °C: 0.865 - 0.875

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**

|  |                         |
|--|-------------------------|
| Dynamic viscosity at 20 °C:  | 1.49 cP                 |
| Kinematic viscosity at 20 °C:                                      | 1.78 mm <sup>2</sup> /s |
| Kinematic viscosity at 40 °C:                                      | Not relevant *          |
| Concentration:   | Not relevant *          |
| pH:  | 6.5 - 7.5               |
| Relative vapour density at 20 °C:                                  | Not relevant *          |
| Partition coefficient — n-octanol/water (logarithmic value) 20 °C: | Not relevant *          |
| Solubility in water at 20 °C:                                      | Not relevant *          |
| Solubility properties:   | Not relevant *          |
| Decomposition temperature:   | Not relevant *          |
| Melting point/freezing point:                                      | Not relevant *          |
| <b>Flammability:</b>   |                         |
| Flash Point:   | 22 °C                   |
| Flammability (solid, gas):   | Not relevant *          |
| Autoignition temperature:  | 423 °C                  |
| Lower flammability limit:  | Not available           |
| Upper flammability limit:  | Not available           |
| <b>Particle characteristics:</b>                                   |                         |
| Median equivalent diameter:  | Non-applicable          |

**9.2 Other information:**

**Information with regard to physical hazard classes:**

|  |                |
|--|----------------|
| Explosive properties:  | Not relevant * |
| Oxidising properties:  | Not relevant * |
| Corrosive to metals:   | Not relevant * |
| Heat of combustion:  | Not relevant * |
| Aerosols-total percentage (by mass) of flammable components: | Not relevant * |

**Other safety characteristics:**

|                           |                |
|---------------------------|----------------|
| Surface tension at 20 °C: | Not relevant * |
| Refraction index:         | Not relevant * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

**10.2 Chemical stability:**

Chemically stable under the indicated conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight            | Humidity       |
|--------------------|------------------|-------------------------|---------------------|----------------|
| Not applicable     | Not applicable   | Risk of combustion      | Avoid direct impact | Not applicable |

**10.5 Incompatible materials:**

- CONTINUED ON NEXT PAGE -



## SECTION 10: STABILITY AND REACTIVITY (continued)

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

#### A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Produces eye damage after contact.

#### D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: ethanol (1)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### Other information:

- CONTINUED ON NEXT PAGE -



**SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

Not relevant

**Specific toxicology information on the substances:**

| Identification          | Acute toxicity   |             | Genus  |
|-------------------------|------------------|-------------|--------|
|                         | LD50 oral        | LD50 dermal |        |
| ethanol<br>CAS: 64-17-5 | 6200 mg/kg       | 20000 mg/kg | Rat    |
|                         | 124.7 mg/L (4 h) |             | Rabbit |
|                         |                  |             | Rat    |

**SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**12.1 Ecotoxicity (aquatic and terrestrial, where available):**

**Acute toxicity:**

| Identification          | Concentration     |                   | Species                | Genus      |
|-------------------------|-------------------|-------------------|------------------------|------------|
|                         | LC50              | EC50              |                        |            |
| ethanol<br>CAS: 64-17-5 | 11000 mg/L (96 h) | 9268 mg/L (48 h)  | Alburnus alburnus      | Fish       |
|                         |                   | 1450 mg/L (192 h) | Daphnia magna          | Crustacean |
|                         |                   |                   | Microcystis aeruginosa | Algae      |

**Chronic toxicity:**

| Identification          | Concentration |        | Species            | Genus      |
|-------------------------|---------------|--------|--------------------|------------|
|                         | NOEC          | NOEC   |                    |            |
| ethanol<br>CAS: 64-17-5 | 250 mg/L      | 2 mg/L | Danio rerio        | Fish       |
|                         |               |        | Ceriodaphnia dubia | Crustacean |

**12.2 Persistence and degradability:**

**Substance-specific information:**

| Identification          | Degradability |              | Biodegradability |         |
|-------------------------|---------------|--------------|------------------|---------|
|                         | BOD5          | COD          | Concentration    | Period  |
| ethanol<br>CAS: 64-17-5 | Not relevant  | Not relevant | 100 mg/L         | 14 days |
|                         |               |              | % Biodegradable  | 89 %    |
|                         |               |              |                  |         |

**12.3 Bioaccumulative potential:**

**Substance-specific information:**

| Identification          | Bioaccumulation potential |           |
|-------------------------|---------------------------|-----------|
|                         | BCF                       | Pow Log   |
| ethanol<br>CAS: 64-17-5 | 3                         | -0.31     |
|                         |                           | Potential |
|                         |                           | Low       |

**12.4 Mobility in soil:**

| Identification          | Absorption/desorption |            | Volatility                     |          |
|-------------------------|-----------------------|------------|--------------------------------|----------|
|                         | Koc                   | Conclusion | Henry                          | Dry soil |
| ethanol<br>CAS: 64-17-5 | 1                     | Very High  | 4.61E-1 Pa·m <sup>3</sup> /mol | Yes      |
|                         |                       |            | Moist soil                     | Yes      |
|                         |                       |            |                                |          |

**12.5 Results of PBT and vPvB assessment:**

Non-applicable

**12.6 Other adverse effects:**

Not described

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Disposal methods:**

**Waste management (disposal and evaluation):**

- CONTINUED ON NEXT PAGE -



### SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See epigraph 6.2.

**Regulations related to waste management:**

Legislation related to waste management:

Canadian Environmental Protection Act, 1999

### SECTION 14: TRANSPORT INFORMATION

**Transport of dangerous goods by land:**

With regard to Transportation of Dangerous Goods Regulations (SOR/2001-286) including Amendments:



- 14.1 **UN number:** UN1987
- 14.2 **United Nations proper shipping name:** ALCOHOLS, N.O.S. (ethanol)
- 14.3 **Transport hazard class(es):** 3  
**Labels:** 3
- 14.4 **Packing group:** II
- 14.5 **Environmental hazard:** No
- 14.6 **Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises**  
Physico-Chemical properties: see section 9
- 14.7 **Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):** Not relevant

**Transport of dangerous goods by sea:**

With regard to IMDG 41-22:



- 14.1 **UN number:** UN1987
- 14.2 **United Nations proper shipping name:** ALCOHOLS, N.O.S. (ethanol)
- 14.3 **Transport hazard class(es):** 3  
**Labels:** 3
- 14.4 **Packing group:** II
- 14.5 **Marine pollutant:** No
- 14.6 **Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises**  
Special regulations: 274  
EmS Codes: F-E, S-D  
Physico-Chemical properties: see section 9  
Limited quantities: 1 L  
Segregation group: Not relevant
- 14.7 **Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):** Not relevant

**Transport of dangerous goods by air:**

With regard to IATA/ICAO 2024:

- CONTINUED ON NEXT PAGE -



SECTION 14: TRANSPORT INFORMATION (continued)



|  |                            |
|--|----------------------------|
| <b>14.1 UN number:</b>   | UN1987                     |
| <b>14.2 United Nations proper shipping name:</b>   | ALCOHOLS, N.O.S. (ethanol) |
| <b>14.3 Transport hazard class(es):</b>  | 3                          |
| Labels:  | 3                          |
| <b>14.4 Packing group:</b>   | II                         |
| <b>14.5 Environmental hazard:</b>  | No                         |
| <b>14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises</b> |                            |
| Physico-Chemical properties:   | see section 9              |
| <b>14.7 Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):</b>  | Not relevant               |

SECTION 15: REGULATORY INFORMATION

**15.1 Safety, health and environmental regulations specific for the product in question:**

- Domestic Substances List (DSL): *ethanol (64-17-5)*
- Non-Domestic Substances List (NDSL): Not relevant

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information provided in this safety data sheet as a foundation for conducting workplace-specific risk assessments. These assessments will help establish the appropriate risk prevention measures for handling, using, storing, and disposing of this product.

**Other legislation:**

Canadian Environmental Protection Act, 1999

SECTION 16: OTHER INFORMATION

**Legislation related to safety data sheets:**

This safety data sheet has been designed in accordance with Part 4 and Schedule I of the Hazardous Products Regulations (SOR/2015-17), amended by SOR/2020-38 and SOR/2022-272.

**Texts of the legislative phrases mentioned in section 2:**

H319: Causes serious eye irritation.  
H225: Highly flammable liquid and vapour.

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**WHMIS 2015:**

Eye Irrit. 2: H319 - Causes serious eye irritation.  
Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

**Advice related to training:**

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://whmis.org/>

**Abbreviations and acronyms:**

IMDG: International maritime dangerous goods code  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organisation  
COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand  
BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50  
EC50: Effective concentration 50  
Log-POW: Octanol-water partition coefficient  
Koc: Partition coefficient of organic carbon  
IARC: International Agency for Research on Cancer

- CONTINUED ON NEXT PAGE -



**SECTION 16: OTHER INFORMATION (continued)**

Date of compilation: 2023-08-25  
Revised: 2023-11-21

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

END OF SAFETY DATA SHEET